STARKS TO STARK TO ST

Blackberry & Bramble

12-10-10 fertilizer with minor elements.

DIRECTIONS:

Three to five days after planting, apply Stark Bro's 12-10-10 with trace minerals. Use one cup per ten feet of row. Spread fertilizer evenly within a 12" circle around the plant, but no closer than within 6" from the stem of the plant. (If using a split application, apply half of fertilizer at each application.) Fertilizer should be applied each spring when new growth starts and again just after harvest.

Second year, apply Stark Bro's 12-10-10 with trace minerals at 1/2 cup per application per 10 feet of row. Apply in circular bands spread evenly around the plant or beside of the row, but no closer than within 6" of the plant stem.

Third year, increase the fertilizer rate to 3/4 cup per ten feet of row per application.

Blackberries and other brambles, although drought tolerant, need considerable water during fruiting.

Disclaimer: The manufacturer makes no warranties expressed or implied as to the particular fitness of this material for any particular purpose. Manufacturers liability shall be limited to, and not exceed, refund of the purchase price.

GUARANTEED ANALYSIS

Total Nitrogen (N)	12%
3.91% Ammoniacal Nitrogen	
8.09% Water Soluble Organic Nitrogen	
Available Phosphate (P ₂ O ₅)	10%
Soluble Potash (K ₂ 0)	10%
Calcium (Ca)	
Magnesium (Mg)	4.33%
Boron (B)	0.02%
Copper (Cu)	0.06%
Iron (Fe)	0.12%
Manganese (Mn)	0.06%
Molybdenum (Mo)	0.0006%
Zinc (Zn)	0.06%

Source of Nutrients: Urea, Diammonium Phosphate, Muriate of Potash, Burnt Lime, Calcium Carbonate, Magnesium Carbonate, Magnesium Oxide, Borax, Copper Sulfate, Cuprous Oxide, Iron (II) Oxide, Iron Sulfate, Manganese Oxide, Manganous Sulfate tetrahydrate, Sodium Molybdate, Zinc Oxide, Zinc Sulfate, Monohydrate

sки **H17269**

